



GT Mini 3330

Intuitively simple video meetings for every room

With next-generation, exceptionally intuitive video meeting systems, StarLeaf makes instant collaboration from any room simple. Enjoy secure and reliable, feature-rich video meetings, easy calling, and instant screen sharing with anyone, anywhere.

Built for the enterprise and tailored to you, the GT Mini range has the flexibility to match any budget or room size. Put your meetings in safe hands with StarLeaf and our industry-unique 99.999% SLA uptime guarantee and ISO/IEC 27001 certification.



Simplicity across all your meeting spaces

- Always ready and always up-to-date
- A complete purpose-built system with no need for PCs, remote controls, or adapters
- Easy installation and setup with QuickConnect
- Works seamlessly with existing video and voice including Cisco, Poly, Zoom, Microsoft Teams^{*} and Lifesize

Unrivaled intuitive user experience

- See upcoming meetings and join at the push of a button
- Meet with anyone, anywhere
- Advanced in-call controls
- Intuitive dedicated touchscreen controller

Reliability for any size room

- Join meetings instantly with one-touch
- Totally interoperable users can call anyone on any video system and join meetings hosted by other providers with MultiJoin*
- Secure connection at all times
- Automatic software updates



GT Mini 3330 range

Choose from the following four options:







Option 4

Pan, tilt and zoom camera and support for two screens**

Procides

1054am

Tuesday 03 April
Boardroom

Procides

1054am

Tuesday 13 April
Boardroom

Procides

Additionally, all options can be upgraded to include a Pronto Cable USB for wired screen sharing, simplified joining for all your meetings with MultiJoin, and a Pronto 210 for wireless screen sharing.



Video connectors		
Input	1x HDMI input for camera 1x USB input for camera 1x DVI-I (supplied with HDMI, DVI-D and VGA adaptors)	
Output	2x HDMI 1.4 1080p @ 60fps 1x VISCA camera control	
Audio connectors		
Input	2x XLR microphone 3.5mm stereo line-in for PC audio	
Output	3.5mm stereo line-out	
Call bandwidth	up to 6Mbps	
Content sharing via HDMI or Pronto	up to 1080p @ 30fps	
Security	Communication encrypted using AES	
Protocols	EVSIP H.323 SIP H.239 RDP	Skype for Business/Lync (CCCP/AVMCU) WebRTC DTLS BFCP
Codec support	Wideband audio with AAC-ELD AAC-LD G.711 µ-law / A-law G.722, G.722.1 Annex C	iLBC H.263, H.263+, H.264 SVC DTMF Microsoft H.264 SVC VP8
Dimensions	H 40mm (1.6"), W 365mm (14.2"), D 110mm (4.3")	
Weight	1.1kg (2.5 lbs)	
Power supply	Input: 100-240V AC, 1.5A, 50-60Hz	
Power consumption	Max 30W, idle 25W, standby 20W	
Network	1x Gigabit Ethernet (RJ-45) 1x StarLeaf touchscreen interface (RJ-45) QoS – DiffServ/ToS	
Temperature range	0°C - 35°C (32°F - 95°F)	

^{*}MultiJoin is available as part of a StarLeaf Enterprise Room Subscription

Meet better. Meet StarLeaf.

Collaboration and communication are key to the success of today's business organizations. StarLeaf brings people together to work better, wherever they are. Uniquely in the industry, StarLeaf is truly built for the enterprise.

starleaf.com



^{**}Additional license required for second screen