
EB-1485Fi



DATASHEET / BROCHURE



Agile working through content sharing and flexible connectivity with this Full HD laser display solution.

Transform your workplace with this large, scalable display that enriches collaboration and engagement, and promotes greater knowledge sharing with colleagues, clients or delegates using the latest and most versatile connectivity options. The EB-1485Fi has been designed to be easy to use, enriching collaborative and agile working environments.

Flexible display options and sizes

Deliver impactful sessions with a multi-touch display of up to 100 inches (16:9 standalone), 120 inches (16:6 standalone), or 155 inches using Epson's DuoLink feature, which combines two interactive display using built-in Edge Blending.

Promotes collaboration and connectivity

The intuitive and easy-to-use UI, new touch home screen and new interactive OSD menu make it simple to set up and navigate across functions. Featuring multi-touch pen and finger capabilities, wireless BYOD connectivity and screen mirroring (Miracast). It also has secure user collaboration tools and an array of powerful connectivity options, both wireless and wired, including HDBaseT and HDMI out. The Epson iProjection App is available to download for free, providing seamless wireless connectivity and collaboration control from multiple devices and platforms. It's compatible with Windows, Office 365 suite and iOS, allowing the use of Office applications via PCs and tablets.

Sliding split screen

Combine up to four sources, such as video conference systems from multiple video sources and presentations, to optimise meeting interactions.

Fit and forget technology

Once installed, use for up to 20,000 hours without any maintenance, with the additional peace of mind of a five-year warranty. Helping to reduce running costs, and meaning you can 'fit and forget' and continue with the job in hand.

KEY FEATURES

- Flexible display options and sizes Cater for user needs in any working environment
- All-in-one interactive meeting display Combines multiple resources in one interactive collaboration device
- Increase productivity & agile working Share and display content from a range of devices simultaneously
- Sliding split screen Up to four displays in one image project images from different sources
- Easy installation Quick set-up with auto-adjusting calibration function



EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

TECHNOLOGY		
Projection System	3LCD Technology	
LCD Panel	0.62 inch with C2 Fine	
IMAGE		
Color Light Output	5,000 Lumen- 3,500 Lumen (economy)	
White Light Output	5,000 Lumen - 3,500 Lumen (economy)	
Resolution Full HD 1080p, 1920 x 1080, 16:9		
Aspect Ratio		
Contrast Ratio	Over 2,500,000 : 1	
Light source	Laser	
Lamp	20,000 h durability, 30,000 h durability (economy mode)	
Laser Light source	30,000 hours Durability Eco	
Keystone Correction	Manual vertical: ± 3 °, Manual horizontal ± 3 °	
Colour Video Processing	10 Bits	
2D Vertical Refresh Rate	192 Hz - 240 Hz	
Colour Reproduction	Upto 1.07 billion colours	
OPTICAL		
Throw Ratio	0.27 - 0.37:1	
Zoom	Digital, Factor: 1 - 1.35	
Lens	Optical	
Screen Size	65 inches - 100 inches	
Projection Distance Wide	0.4 m (65 inch screen	
Projection Distance Tele		
•	0.6 m (100 inch screen	
Projection Distance Wide/Te Projection Lens F Number	1.5	
Projection Lens Focal Lengt		
Projection Lens Focus	Manual	
Offset	9:1	
CONNECTIVITY		
Interfaces	USB 2.0 Type A (2x), Powered USB, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T),	
	Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x),	
	Component in, Miracast, Stereo mini jack audio out, Stereo mini jack audio in (3x), Microphone	
	input, Finger-touch interface, Multi-Touch interface, USB 2.0 Type B (2x), Sync. in, Sync. out,	
	HDMI out, HDBaseT	
Epson iProjection App	Ad-Hoc / Infrastructure	
Network Protocol	HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink	
ADVANCED FEATURES		
Security	Kensington lock, Control panel lock, Password lock, Padlock, Wireless LAN security,	
	Password protection	
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard, DICOM SIM	
Other features	Arc Correction, Auto Calibration, Auto Power On, Built-in speaker, CEC compatible,	
	Customizable user logo, Digital zoom, Direct Power on/off, Document Camera Compatible,	
	Driverless installation, Dual Pen Support, Easy OSD pre-setting, Email notification, Finger-	
	touch support, Fit to Screen, Freeze image, Image Shift, Instant on/off, Interactive, Interactive	
	OSD menu, Mail notification function, Microphone input, Network administration, OSD copy	
	function, PC Interactive, PC free annotation, Projection App for Chromebook, Quick Corner,	
	Schedule Function, Screen Mirroring, Screen share, Set-up wizard, Sliding split-screen	
	feature, Split-Screen-Function, Super resolution, Web Control, Web Remote, Whiteboard	
	sharing function, Wireless LAN capable, iProjection App, iProjecton set-up by QR code	
Interactivity	Yes - pen and finger-touch	
Video Color Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM SIM	
	via: AMX, Crestron, Extron, Crestron (RS-232c only), Crestron Integrated Partner, Crestron	
Projector control		
	RoomView, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device	
	Discovery Protocol	

EB-1485Fi

WHAT'S IN THE BOX

- CD Manual
- Interactive pens
- Power cable
- Remote control incl. batteries
- Replacement pen tips
- Pen Holder/Stand
- Cable cover
- 2 x Pen tip(Teflon)
- 4 x Pen tip(Felt)
- Control Box HCB (HDBaseT Connection & Control Box)
- Wall hanging bracket
- Finger touch unit
- Safety Cable





PRODUCT SPECIFICATIONS

GENERAL		
Power consumption	366 Watt, 262 Watt (economy), 0.5 Watt (standby)	
Heat Dissipation	1,244 BTU/hour (max)	
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz	
Product dimensions	458 x 375 x 210 mm (Width x Depth x Height)	
Product weight	9.3 kg	
Noise Level	Normal: 36 dB (A) - Economy: 27 dB (A)	
Supported Temperature	Storage -10° C - 60° C	
Included Software	Easy Interactive Tools, iProjection, Epson Projector Management	
Options	Document camera, External Speaker, Pen tip(Felt), Pen tip(Teflon), Wireless LAN unit	
Compatible Operating	Linux, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Ubuntu 14.10, Ubuntu	
Systems	15.04, Windows 10, Windows 10 (32/64 bit), Windows 2000	
Loudspeaker	16 Watt, Stereo: Stereo	
Room Type / Application	Boardroom, Huddle space / Portable, Meeting room / Classroom	
Positioning	Table Mounted, Wall Mounted	
Colour	White	
OTHER		
Warranty	60 months Carry in or 12,000 h	
	Optional warranty extension available	

EB-1485Fi

WHAT'S IN THE BOX

- CD Manual
- Interactive pens
- Power cable
- Remote control incl. batteries
- Replacement pen tips
- Pen Holder/Stand
- Cable cover
- 2 x Pen tip(Teflon)
- 4 x Pen tip(Felt)
- Control Box HCB (HDBaseT Connection & Control Box)
- Wall hanging bracket
- Finger touch unit
- Safety Cable



OPTIONAL ACCESSORIES

- Safety Wire ELPWR01 V12H003W01
- Replacement Soft Pen Tip ELPPS04 (12pcs) V12H776010
- Replacement Hard Pen Tip ELPPS03 (6pcs) V12H775010
- Interactive Pen ELPPN05B Blue EB-6xxWi/Ui / 14xxUi V12H774010
- Interactive Pen ELPPN05A Orange EB-6xxWi/Ui / 14xxUi V12H773010
- Active Speakers (2 x 15W) ELPSP02 V12H467040DA
- Dual Function Wireless Adapter (5Ghz Wireless & Miracast) ELPAP11 V12H005A01
- ELPMB63 Finger Touch Wall Bracket for ELPFT01 V12HA05A09
- Air Filter ELPAF56 L600/EB-14XX Series V13H134A56

LOGISTICS INFORMATION

ѕки	V11H919041
EAN code	8715946673752
Country of Origin	China



For more information please contact:

Home users: 0343 90 37766 Business users*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus * 10p per minute plus network extras. Web: www.epson.co.uk www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2020-09-03

EB-1485Fi

